

your **control centre**
renowned quality & trusted for over 45 years

IMO

Now available in eco-friendly, recyclable packaging, using 99% less single-use plastics



pushbuttons & switches | indicators | enclosures | contact blocks
contactors & overloads | relays & sockets | terminal boxes
enclosed starters | changeover switches | enclosed isolators
cable terminals | footswitches | timers

your control centre

Renowned quality & trusted since 1972!

When you are buying Industrial Controls for your or your customer's application, knowing that you are buying a quality product, constructed from the finest materials and with a heritage of reliability, should give you plenty of peace of mind. Our quality assured manufacturing sites ensure IMO products are always recognised as the standard by which others are gauged. We are so confident of our offering that we back it up with unique warranty periods of up to 5 years, and the raft of international approvals means that customers specifying IMO products can do so with the knowledge and security that they are making a no compromise selection.

Our success is your success...

Our customers' competitive challenges are of paramount importance to our own success so we work tirelessly to help our customers differentiate their product, improve their service offering and grow their market share. Our approach has allowed us to enjoy long-term relationships with some of the largest blue-chip companies in the world and to help tomorrow's success stories on their journey to prominence.

IMO products have been specified in OEM products for years, in applications of every size. Here are some of the well-known companies that use IMO products:



Unrivalled service, professionally delivered!

OVER
15,000
PRODUCT LINES
AVAILABLE

GLOBAL
TECHNICAL
SUPPORT

99%
REDUCTION OF
PLASTICS IN OUR
PACKAGING


SAME
DAY
DISPATCH

UP TO
5
YEARS PRODUCT
WARRANTY

The IMO Control Centre product offering includes all of the product listed in this brochure, however, IMO Precision Controls manufactures over 15,000 product lines, including a large selection of Industrial Automation products such as Programmable Logic Controllers, Human Machine Interfaces, Variable Speed Inverter Drives, Sensors, Limit Switches and more. We offer same day dispatch to orders placed before 2pm, so it's possible to obtain the product you are looking for very quickly, even if it isn't immediately available from your distributor.

Genuine green credentials...

We have reduced the amount of plastics used in our packaging by 99%, and are delighted to be able to offer you 100% recyclable cardboard packaging, sourced from sustainably managed forests, so our products aren't only good for you and your customers, they are good for the planet too.



www.imopc.com

IP65 Enclosed Isolators

3, 4, 6 and 8 Pole

| Model | Description |
|--------|--|
| IS01C | 20 Amp 3 Pole inc. 4x M20 Glands |
| IS02C | 20 Amp 4 Pole inc. 4x M20 Glands |
| IS02CL | 20 Amp 4 Pole (Large Enclosure) inc. 4x M20 Glands |
| IS03C | 25 Amp 3 Pole inc. 4x M20 Glands |
| IS04C | 25 Amp 4 Pole inc. 4x M20 Glands |
| IS11C | 32 Amp 3 Pole inc. 4x M20 Glands |
| IS12C | 32 Amp 4 Pole inc. 4x M20 Glands |
| IS12CL | 32 Amp 4 Pole (Large Enclosure) inc. 4x M20 Glands |
| IS05C | 40 Amp 3 Pole inc. 4x M25 Glands |
| IS06C | 40 Amp 4 Pole inc. 4x M25 Glands |
| IS06CL | 40 Amp 4 Pole (Large Enclosure) inc. 4x M25 Glands |
| IS07C | 63 Amp 3 Pole |
| IS08C | 63 Amp 4 Pole |
| IS09C | 80 Amp 3 Pole |
| IS10C | 80 Amp 4 Pole |
| IS13C | 100 Amp 3 Pole |
| IS14C | 100 Amp 4 Pole |
| IS15C | 125 Amp 3 Pole |
| IS16C | 125 Amp 4 Pole |
| IS620 | 20 Amp 6 Pole |
| IS820 | 20 Amp 8 Pole |
| IS625 | 25 Amp 6 Pole |
| IS825 | 25 Amp 8 Pole |
| IS632 | 32 Amp 6 Pole |
| IS832 | 32 Amp 8 Pole |
| IS640 | 40 Amp 6 Pole |
| IS840 | 40 Amp 8 Pole |
| IS663 | 63 Amp 6 Pole |
| IS863 | 63 Amp 8 Pole |
| IS680 | 80 Amp 6 Pole |
| IS880 | 80 Amp 8 Pole |
| ISA11 | Aux. Contact Side Mount (1NO + 1NC) |



IP65 Changeover Switches

3 and 4 Pole

| Model | Description |
|-------|------------------------------|
| CO320 | 20A 3 Pole Changeover Switch |
| CO420 | 20A 4 Pole Changeover Switch |
| CO325 | 25A 3 Pole Changeover Switch |
| CO425 | 25A 4 Pole Changeover Switch |
| CO332 | 32A 3 Pole Changeover Switch |
| CO432 | 32A 4 Pole Changeover Switch |
| CO340 | 40A 3 Pole Changeover Switch |
| CO440 | 40A 4 Pole Changeover Switch |
| CO363 | 63A 3 Pole Changeover Switch |
| CO463 | 63A 4 Pole Changeover Switch |

DIN Terminals

For mounting on TS35 (35mm) DIN Rail

| Model | Description |
|-------|--|
| TB01C | 10x 2.5mm Terminals + 10x Markers |
| TB02C | 10x 4mm Terminals + 10x Markers |
| TB03C | 5x 10mm Terminals + 10x Markers |
| TB04C | 3x 16mm Terminals + 3x End Plates + 10x Markers |
| TB05C | 2x 35mm Terminals + 10x Markers |
| TB06C | DIN Terminal Accessory Kit - 2x End Plates (2.5-10mm), 2x End Brackets, 2x Partition, 2x 4mm Earth Terminals, 1x 4mm Neutral Terminals & 10x Markers |
| TB07C | 3x Fuse Holders + 3x End Plates |
| TB08C | 5x 4mm Blue Neutral Terminals |
| TB09C | 5x 4mm Green/Yellow Earth Terminals |
| TB10C | 3x 16mm Green/Yellow Earth Terminals |
| TB11 | 2.5mm Terminals (Box of 100) |
| TB12 | 4mm Terminals (Box of 100) |
| TB13 | 10mm Terminals (Box of 100) |
| TB14 | 16mm Terminals (Box of 100) |
| TB15C | 1x 70mm Terminal |
| TB17 | 4mm Earth Terminals (Box of 50) |
| TB19 | End Brackets (Box of 100) |
| DR01C | 1m Length of 35x7.5mm Slotted DIN Rail |

Surge Protection Devices

Type 2 & Type 3 Protection (TN, TT, IT)

| Model | Description |
|-------|--|
| SPD1 | Single Module 1P+N, 20kA, 275VAC (Type 2 only) |
| SPD2 | Two Module 1P+N, 40kA, 275VAC |
| SPD4 | Four Module 3P+N 40kA, 275VAC |

Multi-Function Timer

1 Pole Changeover 10A Relay Output

| Model | Description |
|-------|---------------------------------------|
| TM34C | DIN Rail Mountable Timer 24-250VAC/DC |



IP65/55 Terminal Boxes

Enclosures with Five Connection Terminals

| Model | Description |
|-------|--|
| TB20C | Enclosure c/w 5x4mm DIN Terminals + 1x4mm Earth Terminals & End Stop 30A |
| TB30C | 88x88x53mm Enclosure c/w 5x2.5mm Terminals 20A |
| TB31C | 98x98x61mm Enclosure c/w 5x4mm Terminals 25A |
| TB32C | 119x139x70mm Enclosure c/w 5x6mm Terminals 32A |
| TB33C | 125x167x82mm Enclosure c/w 5x10mm Terminals 50A |

Relays

2/3/4 Pole Changeover Output

| Model | Poles | Rating | Description |
|-------|-------|--------|---------------------|
| RL01C | 2 | 10A | 8 Pin 230VAC Relay |
| RL02C | 3 | 10A | 11 Pin 230VAC Relay |
| RL03C | 2 | 10A | 8 Pin 110VAC Relay |
| RL04C | 3 | 10A | 11 Pin 110VAC Relay |
| RL05C | 2 | 10A | 8 Pin 24VAC Relay |
| RL06C | 2 | 10A | 8 Pin 24VDC Relay |
| RL07C | 3 | 10A | 11 Pin 24VAC Relay |
| RL08C | 3 | 10A | 11 Pin 24VDC Relay |
| RL09C | 2 | 10A | 8 Pin 12VDC Relay |
| RL10C | 3 | 10A | 11 Pin 12VDC Relay |
| RL11C | 4 | 5A | 14 Pin 230VAC Relay |
| RL12C | 4 | 5A | 14 Pin 24VDC Relay |
| RL13C | 4 | 5A | 14 Pin 110VAC Relay |
| RL14C | 4 | 5A | 14 Pin 24VAC Relay |
| RL15C | 4 | 5A | 14 Pin 12VDC Relay |
| RL16C | 2 | 10A | 8 Pin 12VAC Relay |
| RL17C | 3 | 10A | 11 Pin 12VAC Relay |
| RL20C | 2 | 8A | 8 Pin 230VAC Relay |
| RL21C | 2 | 8A | 8 Pin 24VDC Relay |
| RL22C | 1 | 12A | 5 Pin 230VAC Relay |
| RL23C | 1 | 12A | 5 Pin 24VDC Relay |

Sockets

For 5, 8, 11 & 14 Pin Relays

| Model | Description |
|-------|---|
| BA01C | 8 Pin Base for DPCO Relay |
| BA02C | 11 Pin Base for 3PCO Relay |
| BA03C | 14 Pin Base for 4PCO Relay |
| BA21C | 8 Pin Base for DPCO Compact Relay (RL20C / RL21C) |
| BA23C | 5 Pin Base for SPCO Compact Relay (RL22C / RL23C) |

IP65 Enclosed Switches

20 Amp

| Model | Description |
|-------|-----------------------------------|
| ES06 | 2 Pole On/Off 90° |
| ES08 | 4 Pole On/Off 90° |
| ES21 | 2 Pole Changeover with Centre Off |
| ES23 | 4 Pole Changeover with Centre Off |
| ES40 | 3 Pole Motor Reversing |

IP66 Clear Lid Enclosures

Complete with DIN Rail

| Model | Description |
|-------|--|
| EN23C | Clear Lid Enclosure + DIN-Rail (125x125x75mm) |
| EN24C | Clear Lid Enclosure + DIN-Rail (125x175x100mm) |
| EN25C | Clear Lid Enclosure + DIN-Rail (125x175x150mm) |

Enclosed Starters

Direct On-Line and Star/Delta

| Model | Description |
|--|-------------------------------|
| Plastic Enclosure IP65, 20mm Entry, Pre-wired | |
| SR01D | 4kW DOL Starter 230VAC Coil |
| SR02D | 4kW DOL Starter 400VAC Coil |
| SR03D | 7.5kW DOL Starter 230VAC Coil |
| SR04D | 7.5kW DOL Starter 400VAC Coil |
| SR05D | 11kW DOL Starter 230VAC Coil |
| SR06D | 11kW DOL Starter 400VAC Coil |

Overloads

For use with Contactors or Starters

| Model | Description | DOL Rating | Star/Delta Rating |
|-------|-----------------------|-------------|-------------------|
| OL01D | Overload Manual Reset | 0.6A-0.9A | - |
| OL02D | Overload Manual Reset | 0.8A-1.2A | - |
| OL03D | Overload Manual Reset | 1.2A-1.8A | - |
| OL04D | Overload Manual Reset | 1.8A-2.7A | - |
| OL05D | Overload Manual Reset | 2.7A-4.0A | - |
| OL06D | Overload Manual Reset | 4.0A-6.0A | 7.0A-10.5A |
| OL07D | Overload Manual Reset | 6.0A-9.0A | 10.5A-15.5A |
| OL08D | Overload Manual Reset | 8.0A-11.0A | 14.0A-19.0A |
| OL09D | Overload Manual Reset | 10.0A-14.0A | 18.0A-24.0A |
| OL10D | Overload Manual Reset | 13.0A-18.0A | 23.0A-31.0A |
| OL11D | Overload Manual Reset | 17.0A-23.0A | 30.0A-40.0A |
| OL12D | Overload Manual Reset | 22.0A-30.0A | 38.0A-52.0A |

IP65 Enclosure

For use with Contactors and Relays

| Model | Description |
|-------|---|
| EN05C | IP65 Enclosure 89x180x101mm with DIN Rail |

IP66 Opaque Enclosures

Complete with DIN Rail

| Model | Description |
|-------|--------------------------------------|
| EN11C | Enclosure + DIN-Rail (75x125x75mm) |
| EN12C | Enclosure + DIN-Rail (125x125x75mm) |
| EN13C | Enclosure + DIN-Rail (125x125x100mm) |
| EN14C | Enclosure + DIN-Rail (125x175x75mm) |
| EN15C | Enclosure + DIN-Rail (125x175x100mm) |
| EN16C | Enclosure + DIN-Rail (125x175x125mm) |
| EN17C | Enclosure + DIN-Rail (175x175x100mm) |
| EN18C | Enclosure + DIN-Rail (175x175x125mm) |
| EN19C | Enclosure + DIN-Rail (175x175x150mm) |
| EN20C | Enclosure + DIN-Rail (175x250x100mm) |
| EN21C | Enclosure + DIN-Rail (175x250x150mm) |

IP65 Pushbuttons Ø22mm

Contact Rating @ 240V AC, Black Bezel
10A Resistive (AC1), 6A (AC15)

| Model | Description |
|-------|--|
| PB01C | Black Pushbutton |
| PB02C | Green Pushbutton |
| PB03C | Red Pushbutton |
| PB04C | 2 Position Rotary Knob 120° |
| PB05C | 3 Position Rotary Knob 60° |
| PB06C | Panel Accessory Kit Panel Collar with 1 NO + 1 NC Contact Block |
| PB07C | E-Stop Button Pull to Release 40mm |
| PB08C | E-Stop Button Key Release 40mm |
| PB09C | Red Mushroom Stop Button (non-latching) 40mm |
| PB10C | 2 Position Key Switch 60° |
| PB11C | 3 Position Key Switch 60° |
| PB13C | E-Stop Button Twist to Release 40mm "O" Marking |
| PB14C | Complete E-Stop Station Pull to Release 1NO + 1NC |
| PB15C | Complete E-Stop Station Twist to Release 1NO + 1NC |
| PB17C | Complete Palm/Foot E-Stop Station Twist to Release 2NC |
| PB19C | E-Stop Shroud 40mm Yellow |
| PB20C | Emergency Stop Disc Label |
| PB30C | 3-Way Pushbutton Station (Up/Down/E-Stop) |
| PB31C | Pushbutton Wrench |
| PB40C | Pushbutton Double Head Green/Red |

IP65 Indicators

Ø22mm

| Model | Description |
|-------|----------------------------|
| PL04C | Red Pilot Light 230VAC |
| PL05C | Green Pilot Light 230VAC |
| PL06C | Red Pilot Light 24VAC/DC |
| PL07C | Green Pilot Light 24VAC/DC |

IP65 Pushbutton Enclosures

For One, Two and Three Buttons

| Model | Description |
|-------|---|
| EN01C | Single Button Enclosure |
| EN02C | Single Button Enclosure with Yellow Cover |
| EN03C | Double Button Enclosure |
| EN04C | Triple Button Enclosure |

IP65 Footswitch

Made from Shockproof Techno Polymer

| Model | Description |
|-------|--------------------|
| FT01C | Shrouded 1NO + 1NC |



Contactors

3 & 4 Pole

3 Pole NO (Normally Open) Contactors

| Model | AC1 | AC3 | Description |
|-------|------|-----|-------------------------------|
| CR01C | 25A | 10A | 240VAC Coil 1 NO Aux. Contact |
| CR02C | 25A | 10A | 415VAC Coil 1 NO Aux. Contact |
| CR03C | 32A | 18A | 240VAC Coil 1 NO Aux. Contact |
| CR04C | 32A | 18A | 415VAC Coil 1 NO Aux. Contact |
| CR07C | 50A | 24A | 240VAC Coil |
| CR08C | 50A | 24A | 415VAC Coil |
| CR09C | 80A | 40A | 240VAC Coil |
| CR10C | 80A | 40A | 415VAC Coil |
| CR11C | 110A | 50A | 240VAC Coil |
| CR12C | 110A | 50A | 415VAC Coil |

4 Pole NO (Normally Open) Contactors

| | | | |
|------|------|-----|---------------------------------------|
| CR06 | 25A | 10A | 240VAC Coil |
| CR32 | 32A | 18A | 240VAC Coil |
| CR33 | 45A | 23A | 240VAC Coil |
| CR34 | 80A | 45A | 240VAC Coil (Screw Fixing Mount Only) |
| CR35 | 100A | 60A | 240VAC Coil (Screw Fixing Mount Only) |

Auxiliary Contacts

| | | | |
|-------|-----|---|---------------------------|
| AC01C | 10A | - | 1 NC Aux. Contact (2 pcs) |
| AC02C | 10A | - | 1 NO Aux. Contact (2 pcs) |

Modular Contactors

For Heating and Lighting Use

| Model | Description |
|-------|--|
| CR40C | Modular Contactor 20A 2 Pole NO 230VAC |
| CR48C | Modular Contactor 20A 2 Pole NO 24VAC |
| CR46C | Modular Contactor 25A 2 Pole NO 230VAC |
| CR41C | Modular Contactor 25A 4 Pole NO 230VAC |
| CR50C | Modular Contactor 25A 4 Pole NO 24VAC/DC |
| CR44C | Modular Contactor 40A 2 Pole NO 230VAC |
| CR42C | Modular Contactor 40A 4 Pole NO 230VAC |
| CR45C | Modular Contactor 63A 2 Pole NO 230VAC |
| CR43C | Modular Contactor 63A 4 Pole NO 230VAC |

Contact Blocks

For use with Pushbutton Enclosures,
Contact Rating @ 240VAC 10A Resistive (AC1), 6A (AC15)

| Model | Description |
|-------|---------------------------|
| CT01C | Contact Block 1 NO + 1 NC |
| CT02C | Contact Block 2 NO |
| CT03C | Contact Block 2 NC |

Can't find what you are looking for?

**IMO manufactures over 15,000 product lines
available on a next day dispatch.**



PLCs | HMIs | VSDs | Intelligent Relays | All-in-one Controllers | Remote IO
Sensors | Limit Switches | Power Supplies | MCBs | RCBOs | RCDs
Surge Protection | Motor Circuit Breakers | Relays | Connectors & more



IMO Precision Controls Ltd

The Interchange, Frobisher Way, Hatfield,
Hertfordshire AL10 9TG UK

Tel: 01707 414 444 Fax: 01707 414 445

Web: www.imopc.com Email: imo@imopc.com

CAT-CONTROLCENTRE2023

*Errors and omissions excepted. Subject to change without notice.
Information correct at time of print.*

IMO Control Centre products are distributed worldwide